

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
2146	Azalea-Wakaebisu	FRSR auction, June 2012,Clay	
2268	Azalea-deciduous yellow		Cuttings from McGiveron, from my clone #996, 1137, or 1257
1504	Blue Baron	Cannor Nursery	Mezitt hybrid
546	Brandywine	Cutting,fall 89,from TRIUMF	
1000	Cilpinense	Greenthumb Nursery	
539	Cinnkeys	VRS sale - G. Round	
547	Conroy	Cutting,fall 89,from TRIUMF	
790	Edwin O. Weber	May show sale 1993 - Clay	
369	Egret		
132	Emasculum		
9668	Enkianthus deflexus	ARS-13-506	J.Nielsen, JN12174, 3200m, W.Yunnan, Lanping County,Mekong-Salween divide
9667	Enkianthus serrulatus	ARS-13-507	J.Nielsen, JN12415, 1300m, S.E.Hunan,Yizhang, PugeCounty, White fl form
1517	Faggetter's Favorite	FRSR auction, 6/07 picnic	
493	Hill's Bright Red		
737	Horizon Monarch	Elk Lake Nursery	
48	Hotei		
9654	Kalmia latifolia	ARS-11-495	Don Hyat, US, cw, Swain Co,NC, pink with red stripes
261	Lem's Cameo		
231	Malahat		
764	Mavis A. Davis	Bernie Nelson, Sedro Wooley	
165	May Day		Wider than tall
594	Mrs. Lammot Copeland	Elk Lake Nursery	
290	Olga Mezitt		cross of two forms of minus var. minus
569	Pepperpot	Elk Lake Nursery	
2109	R. aberconwayi	RSF-11-3722	RSF 1973/001 x 1964/015
2347	R. adenogynum	ARS-13-516	J.Nielsen, JN12216, 3200m, N.W.Yunnan, Lijiang County
2281	R. aganiphum (Maybe #520 R. agastum)	ARS-13-518	J.Nielsen, JN12097, 4300m, W.Sichuan, Yajiang County, thin indum,northern type
2045	R. alabamense	ARS-10-003	Ron Miller, US, cw Clarke Co. Alabama, tall plant
2499	R. albiflorum	HWF-14-02	cw, Manning Prov.Park, Oct, 2013
2068	R. albrechtii	ARS-09-182	Susumu Sato, Japan, cw
1800	R. ambiguum	ARS-08-258	P.H.Vestergaard,Norway,cp
2382	R. ambiguum	ARS-13-522	J.Nielsen, JN12322, 2950m, Cent.Sichuan, Emeishan County, mostly 5-6 fls/truss
1952	R. amundsenianum	ARS-09-536	J.Nielsen, SW China exp., S. Sichuan, 3950m
2435	R. amundsenianum	ARS-13-523	J.Nielsen, JN12304, 4100m, S.Sichuan, Mianning County,only 2nd known location
2522	R. amundsenianum	ARS-13-524	J.Nielsen, JN12321, 3950m, S.Sichuan, Puge County, from type location
1731	R. annae	RSF-06-2839	1999/429 x 1999/374
1559	R. anthopogon ssp. anthopogon (orig. lepidotu	ARS-05-779	A.J.Clark,NE India Exp.04, W.Kameng,A.Pradesh, AC5419, 4100m
2306	R. anthosphaerum	ARS-13-526	J.Nielsen, JN12187, 3200m, Midwest Yunnan, Heqing County
2111	R. arborescens	ARS-11-476	Don Hyatt, US, cw, Swain Co, NC
2222	R. arborescens	ARS-12-515	K Bernady, cw Somerset Co, PA collected from one plant population
2538	R. arborescens	ARS-15-096	D.Hyatt,VA,cw Macon County, NC
2577	R. arborescens	ARS-15-400	K.Bernady,PA, cw Somerset Co, PA, collected from group of low growing plants
1944	R. arboreum (white)	ARS-08-440	R. Zimmerman, USA, from Tony Schilling cw seed x sibling

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
2310	R. arboreum ssp. arboreum	RSF-13-4266	1964/118 selfed
2301	R. arboreum ssp. cinnamomeum var cinnamo	RSF-13-4296	1976/159 x 1999/538
2311	R. argipeplum	RSF-13-4189	1975/061 selfed
1052	R. argyrophyllum	ARS-94-127	P. Schaarup, Den., argyrophyllum 'Chinese Silver' x argyrophyllum
2472	R. argyrophyllum	RSF-13-4184	2002/310 x 2002/330
2215	R. arizelum	ARS-12-079	O J Larsen, cw OJL 10-50 (SBBE) Bilouxueshan, Sewalongba Valley Yunnan 3600 r
2218	R. arizelum	RHS-11-506, RHS12 seed	OJL 10-48 SBBE Bilouxueshan, Sewalongba Valley, Yunnan 3450m
2497	R. arizelum	ARS-14-804	Bengt Ernebjerg,Den,BE-12-06, cw MaDoi Mtns, NW Burma, 2700m
2316	R. asterochnoum	ARS-13-527	J.Nielsen, JN12058, 3100m, W.Sichuan, Baoxing County
2025	R. atlanticum	ARS-10-639	K. Bernady, US, cw Caroline Co. MD
2326	R. atlanticum	ARS-13-313	G.McLellan,US,cw,Prince George County, VA
109	R. augustinii		
2221	R. augustinii	ARS-12-700	J.Nielsen, JN11013 S. Shaanxi 1900m
548	R. augustinii 'Bergie'	Cutting,fall 89,from TRIUMF	
549	R. augustinii 'Berkeley's Blue'	Cutting,fall 89,from TRIUMF	
1267	R. augustinii 'Cerulean Mist'	RSF spring 05 sale	RSBG selected form, RSBG#2004/145
1054	R. augustinii 'Exbury'	Finley	
644	R. augustinii 'Hobbie'	VRS sale - Clay	
1964	R. augustinii 'Lakamus Blue'		Langley Bot.Gard. sale 10/10, bought from Clay
1309	R. augustinii 'Ness' Best Blue'	Dorsey, VRS mtg, 11/05	
1612	R. augustinii 'Playfair'	Clay, bought Feb08 FSRs mtg	
187	R. augustinii 'Tower Court'		Color may vary year to year
1685	R. augustinii ssp. augustinii 'Marine'	RSF Spring 2009 sale	RSF 2000/052, originated Bovee's nursery
1585	R. augustinii ssp. augustinii 'Whalley form'	RSF Fall sale 2007	RSF 1977/286
2293	R. aureodorsale	ARS-12-702	J.Nielsen, JN11004 SC Shaanxi 3000m syn. clementinae ssp aureodorsale
2292	R. auriculatum	RSF-13-4372	1976/072 x 1967/698
946	R. auritum	RSF-96-007	65/269 x 84/048
2199	R. austrinum	ARS-12-481	T Milner US cw Pascagoula River WMA, Jackson Co MS, 1½" orange bloom
2315	R. balangense	ARS-13-530	J.Nielsen, JN12019, 2650m, Cent.Sichuan, Wenchuan County
2371	R. balfourianum var. aganniphoides	ARS-13-531	J.Nielsen, JN12255, 4000m, S.W.Sichuan, Muli County
1790	R. barbatum	RSF-08-3151	RSF 2004/230 x 1965/304
2480	R. barbatum	ARS-14-858	T.Atkinson,UK, TDA273,cw Bersay Rhodo Sanctuary,2500m South Sikkim
2102	R. basilicum	ARS-11-532	R.Zimmerman,US, hp,basilicum RSF 97/215 x basilicum RSF 82/38
2112	R. basilicum	ARS-11-531	R.Zimmerman,US, hp,basilicum Watts x basilicum RSF 97/215 selfed
2489	R. basilicum	ARS-12-703	J.Nielsen, JN11056 W Yunnan 3300m
2495	R. beanianum	ARS-14-829	Bengt Ernebjerg,Den,BE-12-41, cw MaDoi Mtns, NW Burma, 3400-3500m
2569	R. beanianum or citriniflorum	RHS-13-451 RHS15 seed	Bengt Ernebjerg,Den,BE-12-45, Burma, N border with Arunachal Pradesh 34-3500m
2511	R. beanianum,(or pocophorum var. pocophoru	ARS-14-823	Bengt Ernebjerg,Den,BE-12-30, cw MaDoi Mtns, NW Burma, 3000m
2561	R. beesianum	RHS-12-284 RHS15 seed	J.Nielsen,JN12160, Midwest Yunnan,Jianchuan County, unusually broad lvs
2381	R. brachyanthum ssp. hypolepidotum	ARS-13-535	J.Nielsen, JN12136, 3000m, W. Yunnan, Weixi County, Mekong-Salween divide
2521	R. brachyanthum ssp. hypolepidotum	RHS-13-406,RHS14 seed	B.Ernebjerg,Den,BE-09-28,cw Burma,W border Arunachal Pradesh,3400m
2307	R. bracteatum	ARS-13-536	J.Nielsen, JN12020, 2650m, Cent.Sichuan, Wenchuan County
2510	R. bracteatum	RHS-12-214,RHS13 seed	J.Nielsen, JN12020,Central Sichuan,Wenchuen County,2650m

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
1785	R. bureavii	RSF-08-3178	RSF 1983/036 selfed
2485	R. bureavii	ARS-13-537	J.Nielsen, JN12214, 3900m, Midwest Yunnan, Eryuan County, western type
2336	R. bureavioides	RHS-12-241,RHS13 seed	J.Nielsen, JN12084,West Sichuan,Kangding County,3000m
2361	R. bureavioides	ARS-13-541	J.Nielsen, JN12084, 3000m, W.Sichuan, Kangding County
1926	R. bureavioides aff. (sp. nova?)	ARS-09-537	J.Nielsen, SW China exp., S. Sichuan, 3800m
1945	R. burmanicum	RSF-09-3511	RSF 1999/095 selfed
2061	R. calendulaceum	ARS-10-714	D. Hyatt,US, cw near Engine Gap,Mitchill Co. NC, diverse population
2298	R. calendulaceum	ARS-12-503	Hyatt, cw Hooper Copper, Hooper Bald, Graham County, NC
2540	R. calendulaceum	ARS-15-414	D.Hyatt,VA,cw Mitchell County, NC, Roan #1 red
2548	R. calendulaceum	ARS-15-404	K.Bernady,PA, cw Mitchel Co, NC, from yellow flowered plants
2532	R. calendulaceum 'Little Yellow'	ARS-15-100	D.Hyatt,VA,cw Mitchell County, NC, 'Little Yellow', compact yellow
2056	R. calendulaceum (seeds from yellow plant)	ARS-10-716	D. Hyatt,US, cw near Jane Bald,Mitchill Co. NC, golden yellow
781	R. callimorphum (RBG)	VRS Oct. sale - Martyn	
2044	R. calophytum	RSF-10-3629	RSF 1978/083 x 1977/283
1921	R. calophytum var. openshawianum	RSF-09-3363	RSF 2000/170 x 1988/013
2020	R. calostrotum	ARS-09-350	R. Perriard,Denmark, cw Zhibenshan,Yunnan 3200m
1390	R. calostrotum ssp. riparium	RSF spring 2006 sale	RSF 1969/779
2490	R. camelliflorum	ARS-14-896	T.Atkinson,UK, TDA371,cw entrance to Singba, 3500m North Sikkim
2562	R. camelliiflorum	RHS-13-156 RHS15 seed	T.Atkinson,UK,TDA-369 Entrance to Singba,3500m,North Sikkim
658	R. campanulatum	Rhodoland	
2559	R. campanulatum ssp. aeruginosum	ARS-06-456	H. Anderson, DK, Yabuk, Sikkim 4000m, BE45
2071	R. campanulatum ssp. campanulatum	RSF-10-3676	RSF 1976/198 x 1975/141
2503	R. campylocarpum	ARS-14-870	T.Atkinson,UK, TDA333,cw Yumthang, 3500-4000m North Sikkim
2505	R. campylocarpum ssp. caloxanthum	ARS-14-813	Bengt Ernebjerg,Den,BE-12-15, cw MaDoi Mtns, NW Burma, 3500m
667	R. campylogynum	Van Dusen sale	
2186	R. campylogynum (dwarf form)	Devon nursery 4/13	
2403	R. campylogynum (dwarf variety)	Purchased - Erica 2014	
712	R. campylogynum var. charoepum 'Patricia'	Elk Lake Nursery	Suseptible to rust
2027	R. camtschaticum	ARS-09-143	Ranheim/Nielsen,NW Yunnan, op
2136	R. camtschaticum	RHS-10-164, RHS11 seed	M. Jorgensen, Denmark, cw
2582	R. camtschaticum album	ARS-15-280	OJ Larsen, Norway, op, usually gives white offspring
2289	R. canadense	ARS-13-443	W.Ostrom,N.S.,cw Indian Harbor NS
2551	R. catawbiense	ARS-15-412	D.Hyatt,VA,cw Mitchell County, NC, 5500ft,lavender pink
2305	R. cerasinum (misabeled - R. x erythrocalyx?)	RHS-12-115,RHS13 seed	KR10681,Arunachal Pradash,West Siang,Mechuka
2330	R. championae	ARS-13-544	J.Nielsen, JN12408, 900m, S.E.Hunan, Yanling County
2240	R. changii	ARS-12-704	J.Nielsen, JN11029 S Chongqing 2200m,northern most hardy Maddenia.
696	R. chartophyllum (= yunnanense)	Cutting, fall 89, from TRIUMF	
2261	R. ciliatum	RSF-12-4048	RSF 2000/094 x 2000/111
2579	R. cinnabarinum ssp. xanthocodon	ARS-15-282	OJ Larsen, Norway, hp, selfed, good rich yellow
2507	R. citriniflorum	ARS-14-830	Bengt Ernebjerg,Den,BE-12-42, cw MaDoi Mtns, NW Burma, 3400-3500m
2501	R. citriniflorum or dichroanthum	ARS-14-832	Bengt Ernebjerg,Den,BE-12-44, cw MaDoi Mtns, NW Burma, 3400-3500m
2319	R. clementinae	ARS-13-545	J.Nielsen, JN12164, 4000m, Midwest Yunnan, Jianchuan/Lanping County
973	R. coeloneuron	PW-22	Guizhou expedition 1994, 1425m

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
1773	<i>R. coeloneuron</i>	RSF-08-3212	RSF 1998/635 x 1998/661 (orig. labeled <i>denudatum</i> /corr. by RSF)
2250	<i>R. coeloneuron</i>	RSF-12-3649	RSF 1998/420 x 1998/658
1359	<i>R. columbianum</i>	ARS-04-071	R. Craven, cw Lincoln Beach, Oregon
2024	<i>R. complexum</i>	ARS-10-679	J&R Nielsen,Den.NN0911 S NE Yunnan, 3700m
1503	<i>R. concatenans</i> 'Larson's form'	PARS sale 3/07 Sue K.	
2565	<i>R. concinnum</i> or <i>ambiguum</i>	RHS-12-237 RHS15 seed	J.Nielsen,JN12080, West Sichuan,Luding County,2950m - fls not seen
2217	<i>R. coriaceum</i>	RHS-11-507, RHS12 seed	OJL 10-39 SBBE Bilouxueshan, Benggu pasture, Yunnan 3500m
2568	<i>R. coriaceum</i>	RHS-12-290 RHS15 seed	J.Nielsen,JN12175, West Yunnan,Lanping County,3200m,Mekong-Salween divide
2313	<i>R. crinigerum</i>	ARS-13-550	J.Nielsen, JN12145, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
2212	<i>R. cumberlandense</i>	ARS-12-519	K Bernady, cw Union Co, GA collected from a plant population of mixed colors
2363	<i>R. cuneatum</i>	ARS-13-551	J.Nielsen, JN12241, 3750m, N.W.Yunnan, Ninglang County
2555	<i>R. cyanocarpum</i>	ARS-15-158	R. Perriard,Den.,hp,cw in 1987 Cangshan,Yunnan x sister 2014
2317	<i>R. danbaense</i> aff.	ARS-13-554	J.Nielsen, JN12047, 3700m, W.Sichuan, Xiaojin County,(Berg's <i>bureavioides</i> )
706	<i>R. davidsonianum</i> 'Ruth Lyons'	Mandeville	
2237	<i>R. davidsonianum</i> aff	ARS-12-706	J.Nielsen, JN11038 NE Yunnan 3200m Quite compact, smaller broad dark scaled lv:
552	<i>R. davidsonianum</i> white form	Cutting,fall 89,from TRIUMF	fragrant
2234	<i>R. decorum</i> aff.	ARS-12-707	J.Nielsen, JN11037 NE Yunnan 3200m. Compact round leaf type from top of mtn
2101	<i>R. decorum</i> ssp. <i>diaprepes</i>	RSF-11-3710	RSF 1975/104 selfed
2233	<i>R. decorum</i> ssp. <i>diaprepes</i>	ARS-12-708	J.Nielsen, JN11074 SW Yunnan 2800m
1932	<i>R. degronianum</i> ssp. <i>heptamerum</i> var. <i>heptar</i>	ARS-09-210	E.Yoshimura,Japan, pink, cw Pref. Nagasaki
1924	<i>R. degronianum</i> ssp. <i>yakushmanum</i>	RSF-09-3505	RSF 1987/035 x 1993/037
2251	<i>R. degronianum</i> ssp. <i>yakushmanum</i>	RSF-12-3956	RSF 1975/260 x 1987/035
2232	<i>R. delavayi</i>	ARS-12-709	J.Nielsen, JN11040 Midwest Yunnan, 3200m. Near altitude limit of species
2467	<i>R. delavayi</i>	ARS-13-561	J.Nielsen, JN12350, 2900m, N.Cent.Yunnan, Luquan County, Hardy from this area
2051	<i>R. denudatum</i>	ARS-10-683	J&R Nielsen,Den.NN0908 S NE Yunnan, 3300m
2231	<i>R. dichroanthum</i> ssp. <i>scyphocalyx</i>	ARS-12-712	J.Nielsen, JN11057 W Yunnan 3300m
2539	<i>R. dilatatum</i>	ARS-15-334	E. Moser, Germany, cp selfed
2198	<i>R. eastmanii</i>	ARS-12-449	M Creel US hp
2346	<i>R. eclecteum</i>	ARS-13-567	J.Nielsen, JN12143, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
1776	<i>R. eclecteum</i> var. <i>eclecteum</i>	RSF-08-3147	RSF 1975/121 x 1994/017
1902	<i>R. edgeworthii</i>	RSF-06-2712	1995/239 selfed
2516	<i>R. edgeworthii</i>	ARS-14-808	Bengt Ernebjerg,Den,BE-12-10, cw MaDoi Mtns, NW Burma, 2700m
2127	<i>R. elegantulum</i>	RSF-11-3651	RSF 1981/129 x 1975/142
2351	<i>R. elegantulum</i>	RHS-11-087, RHS12 seed	C. Staune, hp Reuthe form x Bovee form
2358	<i>R. elegantulum</i>	ARS-13-569	J.Nielsen, JN12240, 3750m, N.W.Yunnan, Ninglang County
2323	<i>R. elliottii</i>	RSF-13-4352	1988/081 selfed
2541	<i>R. elliottii</i>	ARS-15-765	T.Atkinson,UK,TDA-766,cw,Japfu ridge 1, 2500m, Mt Japfu, Nagaland
1735	<i>R. erubescens</i>	ARS-07-308	H.Eiberg, Denmark, ARS-03-183, selfed, cp, red blotch, syn <i>oreodoxa</i> var <i>fargesii</i>
2100	<i>R. facetum</i>	RSF-11-4002	RSF 1994/437 selfed
2225	<i>R. facetum</i>	ARS-12-715	J.Nielsen, JN11041 Midwest Yunnan 3150m
2290	<i>R. facetum</i>	ARS-12-716	J.Nielsen, JN11055 W Yunnan 2900m
2121	<i>R. falconeri</i>	RSF-11-3909	RSF 1981/079 selfed
2471	<i>R. falconeri</i>	ARS-14-863	T.Atkinson,UK, TDA286,cw Bersay Rhodo Sanctuary,2500m South Sikkim

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
2515	<i>R. falconeri</i>	RHS-13-059,RHS14 seed	T.Atkinson,UK, TDA271,cw Bersay Rhodo Sanctuary,2500m South Sikkim
2331	<i>R. fastigiatum</i>	ARS-13-571	J.Nielsen, JN12209, 3700m, Midwest Yunnan, Eryuan County
2537	<i>R. faucium</i>	ARS-15-224	R.Zimmerman,WA,hp from cw Timo La, Tibet, sibbed
2090	<i>R. ferrugineum</i>	ARS-10-005	M. Jorgensen,Den, cw Cirque de Garannie,France 2108 m
2479	<i>R. ferrugineum</i>	ARS-14-054	M.Jorgensen, Den, cw Valsavarenche, Aosta, Italy, 2200 m
1792	<i>R. fictolacteam aff.</i> , (Clark)	ARS-08-656	A.Clark, UK, C&N5981,cw Jiaozi Xie Shan, Yunnan,3200-3800m
2369	<i>R. flavidum</i>	ARS-13-575	J.Nielsen, JN12094, 3650m, W.Sichuan, Yajiang County
2328	<i>R. floccigerum</i>	ARS-13-576	J.Nielsen, JN12140, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
1903	<i>R. forrestii Tumescens Group</i>	ARS-08-220	O.J.Larsen,Norway, selfed
2534	<i>R. fortunei</i>	RSF-15-4628	1979/160 x 1973/113
2303	<i>R. fortunei ssp. discolor</i>	RSF-13-4337	1979/043 selfed
1918	<i>R. fortunei ssp. fortunei</i>	RSF-09-3499	RSF 1969/813 x 1976/340
2115	<i>R. fulvoides</i>	ARS-11-533	R.Zimmerman,US, hp,fulvoides ACU Berry x fulvoides JN
960	<i>R. fulvum</i>	ARS-94-180	RSF 64/048 x 65/490
2349	<i>R. fulvum</i>	ARS-13-578	J.Nielsen, JN12207, 3600m, Midwest Yunnan, Eryuan County
2576	<i>R. fulvum</i>	RSF-13-4278	1991/088 x 1980/079
2380	<i>R. fuyuanense</i>	ARS-13-579	J.Nielsen, JN12347, 2400m, N.Cen.Yunnan, Qujing Co, new to cult.
2124	<i>R. galactinum</i>	RSF-11-3976	RSF 1979/110 selfed
2486	<i>R. galactinum</i>	ARS-13-580	J.Nielsen, JN12060, 3100m, W.Sichuan, Baoxing County
1934	<i>R. glanduliferum</i>	RSF-09-3531	RSF 1998/797 x 1998/795
2470	<i>R. glanduliferum</i>	RSF-13-4355	1998/780 x 1998/764
2278	<i>R. glischrum</i>	ARS-13-582	J.Nielsen, JN12176, 3300m, W.Yunnan, Lanping County,Mekong-Salween divide
585	<i>R. glomerulatum (=yungningense)</i>	Elk Lake Nursery	
2578	<i>R. griffithianum</i>	ARS-06-005	A.Kepert, Australia, hp, two clones
957	<i>R. groenlandicum</i>	ARS-93-218	E.J.Somers, New Zealand, hp
2125	<i>R. haematodes</i>	RSF-11-3697	RSF 1975/145 x 1970/043
778	<i>R. hanceanum nanum</i>	VRS May 92 sale - Dorsey	
1104	<i>R. heliolepis</i>	ARS-02-715	S. Hootman, 2001 Yunnan exped., DGEY#426
1948	<i>R. heliolepis var. fumidum</i>	ARS-09-541	J.Nielsen, SW China exp., S. Sichuan, 3800m
1954	<i>R. hemitrichotum</i>	ARS-09-542	J.Nielsen, SW China exp., SW. Sichuan, 2800m
2444	<i>R. hippophaeoides var. occidentale</i>	ARS-13-587	J.Nielsen, JN12126, 2950m, W.Yunnan, Weixi County
1160	<i>R. hirtipes</i>	ARS-03-659	Ron Rabideau, cw SE Tibet, TARRVS-065, Sirchem La, 3839m
2118	<i>R. hodgsonii</i>	ARS-11-535	R.Zimmerman,US, hp, cw seed x sibling
2574	<i>R. hodgsonii</i>	ARS-15-198	H.Eiberg,Den.,hp, from Sikkim selfed, with black buds
2487	<i>R. huanum (huianum)</i>	RSF-14-4269	1999/484 x 1999/478
2533	<i>R. huanum (huianum)</i>	RSF-15-4606	1998/515 x 1998/464
2314	<i>R. hunnewellianum</i>	ARS-13-589	J.Nielsen, JN12017, 2050m, Cent.Sichuan, Wenchuan County
1123	<i>R. hunnewellianum ssp. hunnewellianum</i>	ARS-03-2039	RSF 2000, 66/575 x 84/150
2208	<i>R. hunnewellianum ssp. rockii</i>	RHS-11-140, RHS12 seed	Neilsen, JN11008 Light yellowish indumentum. SE Gansu 2000m
2294	<i>R. hylaeum</i>	ARS-13-592	J.Nielsen, JN12135, 3000m, W.Yunnan, Weixi County, Mekong-Salween divide
2337	<i>R. hylaeum</i>	RHS-12-265,RHS13 seed	J.Nielsen, JN12135,West Yunnan,Weixi County,3000m
377	<i>R. hypenanthum (Cox)</i>	Elk Lake Nursery	
2209	<i>R. hypoleucum 'Teshio'</i>	RHS-11-055, RHS12 seed	B Starling,op but does not cross

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
1906	R. insigne	RSF-08-3311	RSF 1981/132 x 1976/162
2440	R. intricatum	ARS-13-594	J.Nielsen, JN12267, 4200m, S.W.Sichuan, Jiulong County
2042	R. irroratum	ARS-10-687	J&R Nielsen,Den.NN0946 S Sichuan 1900m
2134	R. johnstoneanum	RSF-09-3452	RSF 430sd2003 selfed
2348	R. kasoense	RHS-12-018,RHS13 seed	KR10380,Arunachal Pradesh,West Siang,Mechuka
2322	R. kasoense aff?	RHS-12-091,RHS13 seed	KR10577,Arunachal Pradesh,West Siang,Mechuka
2545	R. kesangiae	RSF-15-4601	1991/067 x 1995/050
2201	R. kyawi	ARS-12-724	J.Nielsen, JN11066 W Yunnan 3000m
1943	R. lacteum	ARS-09-544	J.Nielsen, SW China exp., S. Sichuan, 3900m
1762	R. lanatum	ARS-06-570	Per Houbak, DK, Hooker's form x another clone
2133	R. lanatum	ARS-10-625	P.Houbak,Den.hp (cw Sikkim ARS) x (Hookers form RF 262-93) selfed
2200	R. laxiflorum	ARS-12-725	J.Nielsen, JN11079 W Central Yunnan 2700m. R. annae ssp laxiflorum
2223	R. leptocladon aff.	RHS-11-351, RHS12 seed	CWT6353 En route to Fan Si Pan from Tran Son Pass. 2600m.
2207	R. leptothrium	ARS-12-726	J.Nielsen, JN11077 SW Yunnan 2800m
2036	R. liliiflorum	ARS-10-689	J&R Nielsen,Den.NN0958 SW Guizhou 1850m
2299	R. longesquamatum	RHS-12-215,RHS13 seed	J.Nielsen, JN12021,Central Sichuan,Wenchuen County,2650m
2321	R. longesquamatum	ARS-13-604	J.Nielsen, JN12376, 1000m, S.W.Hunan, Chengbu County
2362	R. lukiangense	ARS-13-605	J.Nielsen, JN12128, 2500m, W. Yunnan, Weixi County, Mekong-Salween divide
2553	R. lukiangense	RHS-12-260,RHS13 seed	J.Nielsen, JN12128,West Yunnan,Weixi County,2500m,Mekong-Salween divide
2077	R. lutescens	ARS-10-691	J&R Nielsen,Den.NN0935 S Sichuan 2600m
574	R. lysolepis	Elk Lake Nursery	
2117	R. macabeanum	RSF-11-3887	RSF 1977/046 x 1975/052
2547	R. macabeanum	ARS-15-772	T.Atkinson,UK,TDA-772,cw,Japfu ridge 2, 3000m, Mt Japfu, Nagaland
2494	R. macrophyllum	HWF-14-01	cw, Manning Prov.Park, Oct, 2013
1327	R. maculiferum	ARS-04-608	J. Nielsen, cw, E. Chongqing 2200m
2206	R. maculiferum	ARS-12-727	J.Nielsen, JN11024 NE Chongqing 2400m
2246	R. maddenii ssp. crassum	RHS-11-149, RHS12 seed	Neilsen, JN11082 W Central Yunnan 2800m
2040	R. magniflorum	ARS-10-692	J&R Nielsen,Den.NN0959 SW Guizhou 1750m
1752	R. makinoi	RSF-06-2878	1974/131 x 1977/057
2197	R. makinoi	RSF-13-4095	1997/144 selfed
2049	R. mallotum	RSF-10-3579	RSF 1966/557 x 1987/008
2151	R. mallotum	RSF-11-3830	RSF 1876/150 x 1966/557
2544	R. manipurense	ARS-15-767	T.Atkinson,UK,TDA-768,cw,Japfu ridge 2, 3000m, Mt Japfu, Nagaland
962	R. maximum	RSF-96-063	75/137 'Mt.Mitchell' x 83/192 'compactum'
1561	R. maximum	ARS-05-407	F. Pelurie,US, cw Cheat Bridge, WV
2108	R. meddianum var. atrokermesinum	RHS-10-101, RHS11 seed	KR10081, Arunachal Pradesh,Anjaw district, Krang Ti Camp 3078m
2543	R. meddianum var. atrokermesinum	RHS-13-423 RHS15 seed	Bengt Ernebjerg,Den,BE-12-08, Burma, north border with Arunachal Pradesh 3000m
2572	R. mekongense	ARS-15-157	R. Perriard,Den.,cw 2014 Biluo Xuesan,Yunnan, 3900m
2580	R. mekongense	ARS-15-286	OJ Larsen, Norway, hp, selfed, hardy clone
2437	R. mianningense	ARS-13-607	J.Nielsen, JN12300, 4050m, S.Sichuan, Mianning County, new to cult.
848	R. micranthum	Whitney, March 1995	Orig. label was R. microphyton
1747	R. minus (Coleman's form)	ARS-06-760	John Thornton, US cw Henry Co.Ala.,lt.pink fls/orange blotch,tight 3 in.truss
2055	R. minus var. carolinianum	ARS-10-732	D. Hyatt,US, cw Buncomb Co. NC, white with yellow blotch

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
1760	<i>R. minus</i> var. <i>chapmanii</i>	ARS-06-762	John Thornton, US cw Gulf Co FL
1744	<i>R. molle</i> ssp. <i>japonicum</i>	RSF-06-2879	1998/168 x 1998/239
2488	<i>R. molle</i> ssp. <i>molle</i>	RSF-14-4477	1980/091 x 2000/219
2442	<i>R. monanthum</i>	ARS-13-609	J.Nielsen, JN12142, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
1927	<i>R. morii</i>	RSF-09-3233	RSF 1977/377 x 1995/034
1764	<i>R. moupinense</i>	RHS-05-001, RHS07 seed	Glendoick, white, hardier new collection
2074	<i>R. moupinense</i>	RSF-10-3555	RSF 1979/131 x 1997/090
2496	<i>R. mucronulatum</i>	ARS-14-399	K. Theqvist, cw Seoraksan Mountains, 1250-1280 m, South Korea
2466	<i>R. mucronulatum</i> var. <i>ciliatum</i>	ARS-14-400	K. Theqvist, cw Jirisan Mountains, 1400-1500 m, South Korea
1367	<i>R. myrtifolium</i>	ARS-04-088	O. J. Larsen, Norway
2384	<i>R. neriiflorum</i>	ARS-13-610	J.Nielsen, JN12178, 3200m, W.Yunnan, Lanping County, Mekong-Salween divide
2476	<i>R. nipponicum</i>	RHS-11-517, RHS12 seed	OJLarsen, op but does not cross
2286	<i>R. nitidulum</i>	ARS-13-611	J.Nielsen, JN12089, 3750m, W.Sichuan, Kangding County
1278	<i>R. nitidulum</i> var. <i>omeiense</i>	RSF spring 05 sale	KR#185, Glendoick, RSBG#1984/114
2509	<i>R. occidentale</i> 'Patrick's Point 2604'	ARS-14-346	M. McCullough, CA cw Patrick's Point SP, Humboldt Co. CA
2498	<i>R. occidentale</i> 'Stagecoach 1901'	ARS-14-355	M. McCullough, CA cw Stagecoach Hill, Humboldt Co. CA
1956	<i>R. occidentale</i> (Sea Ranch 1102)	ARS-09-240	M. McCullough, US, Sea Ranch 1102, Sonoma Co. CA
2477	<i>R. ochraceum</i>	RSF-13-4281	1998/636 x 2004/292
2475	<i>R. oldhamii</i>	RHS-12-187, RHS13 seed	M. Miles, wild collected in Taiwan
2069	<i>R. oligocarpum</i>	RSF-10-3690	RSF 1996/075 x 1996/078
1955	<i>R. orbiculare</i>	RSF-09-3509	RSF 1994/411 x 1999/038
2097	<i>R. orbiculare</i>	RSF-11-3692	RSF 1873/205 x 1974/043
1170	<i>R. oreodoxa</i>	ARS-03-752	Alan Clark, AC-4065, 3900m, Muge Che, Kanding, SW Sichuan
2285	<i>R. oreodoxa</i>	ARS-13-617	J.Nielsen, JN12281, 3400m, S.Sichuan, Mianning County
2566	<i>R. pachypodum</i>	RHS-12-297 RHS15 seed	J.Nielsen, JN12193, Midwest Yunnan, Eryuan County, 2450m
1801	<i>R. pachysanthum</i>	RSF-08-3238	RSF 1993/043 x 1996/106
2536	<i>R. pachysanthum</i>	RSF-15-4571	1996/006 x 1997/103
1339	<i>R. pachytrichum</i>	ARS-04-190	R. Zimmerman, US, RBG Edinburgh, selfed
2367	<i>R. pachytrichum</i>	ARS-13-622	J.Nielsen, JN12057, 3300m, W.Sichuan, Baoxing County
1615	<i>R. parmulatum</i>	Badminton, FSRS mtg 3/08	
2513	<i>R. pendulum</i>	ARS-14-901	T. Atkinson, UK, TDA378, cw entrance to Singba, 3500m North Sikkim
2026	<i>R. periclymenoides</i>	ARS-10-646	K. Bernady, US, hp, periclymenoides 'Purple Paladin' x lavender flowered peri.
2575	<i>R. periclymenoides</i>	ARS-06-749	Karel Bernady, US, cw Chester Co. PA
2144	<i>R. petrocharis</i>	FSRS auction, June 2012	RSF 2002/106 GUIZ-120
1942	<i>R. phaeochrysum</i>	ARS-09-547	J.Nielsen, SW China exp., S Sichuan, 3900m
2554	<i>R. pilosum</i> (Syn. <i>Menziesia pilosa</i> )	ARS-15-288	OJ Larsen, Norway, op
2095	<i>R. pingianum</i>	RSF-11-3975	RSF 190/252 x 1979/161
2473	<i>R. planetum</i>	ARS-14-488	E. Moser, Germany, hp
2340	<i>R. polycladum</i>	ARS-13-627	J.Nielsen, JN12188, 3250m, Mid.W.Yunnan, Heqing County
918	<i>R. polylepis</i>	From Finley, 2/97	
2563	<i>R. praestans</i>	ARS-15-680	T. Atkinson, UK, TDA-680, cw, Dong La, 3100-3500m, Anjaw dist., Arunachal Pradesh
2119	<i>R. praevernum</i>	RSF-11-3571	RSF 1982/008 x 1966/563
1342	<i>R. praevernum</i> (RSF)	ARS-04-2016	RSF 2002

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
2296	R. prattii	ARS-13-629	J.Nielsen, JN12026, 3400m, Cent.Sichuan, Wenchuan County
2159	R. primuliflorum 'Doker La'	Sue K, VRS 9/12 bought	
1069	R. principis	ARS-95-334	J. Sinclair, WA, Borde Hill, selfed
1958	R. prinophyllum	ARS-09-070	S. Dean,US,cw Armenia Mt., PA, 5 mi. S Troy,PA, plants 8-10' high
1030	R. pruniflorum	ARS-01-839	Erhard Moser, Germany
1725	R. prunifolium	ARS-06-764	John Thornton, US cw Henry Co.Ala.
659	R. pseudochrysanthum	Rhodoland	
2266	R. pseudociliipes	ARS-12-738	J.Neilsen, JN11070 W Yunnan 2800m. Recently introduced.
1900	R. pubescens	ARS-08-510	Robert Barnard, US, JN988 x another from same seed lot, cp
2297	R. pubescens	ARS-13-631	J.Nielsen, JN12253, 3350m, S.W.Sichuan, Muli County
2034	R. qiaojaense	ARS-10-694	J&R Nielsen,Den.NN0903 S NE Yunnan, 2800m
2205	R. ramsdenianum	RSF-12-3812	RSF 1965/487 x 1970/164
2060	R. rex	ARS-10-696	J&R Nielsen,Den.NN0942 S Sichuan 3000m
2492	R. rex	RHS-11-162, RHS12 seed	J.Neilsen, JN11084 Disjunct SW population. W Central Yunnan 2900m
1920	R. rex ssp. fictolacteum	RSF-09-3494	RSF 1975/158 x 1977/548
2073	R. rex ssp. rex	RSF-10-3695	RSF 1975/118 x 1976/081
2291	R. rigidum	ARS-13-636	J.Nielsen, JN12177, 2750m, Mid.W.Yunnan, Eryuan County
536	R. rigidum 'Bodinieri'	VRS sale - Dorsey	Very fragrant
1720	R. ririei	RSF-06-2682	1990/085 x 1975/013
2230	R. ririei	RSF-12-3560	RSF 1965/454 x 1984/120
2324	R. rothschildii	RSF-13-4262	2001/073 x 1975/182
1953	R. rubiginosum	ARS-09-549	J.Nielsen, SW China exp., Yunnan-Sichuan border, 3700m
1901	R. rubiginosum (orig. searsiae (Clark))	ARS-08-706	A.Clark, UK, C&N6058,cw,Huangmaogeng,Leibo Co,Sichuan,2500-2800m
1098	R. rupicola	ARS-00-251	J.Nielsen,Glendoick,Scotland, JN962, 3750m, usually plum purple
2345	R. rupicola	ARS-13-644	J.Nielsen, JN12268, 4200m, S.W.Sichuan, Jiulong County
2390	R. rupicola	ARS-13-643	J.Nielsen, JN12157, 3700m, Mid.W.Yunnan, Jianchuan County
307	R. saluenense		
535	R. saluenense ssp. chameunum	VRS sale - Dorsey	
2320	R. sanguineum ssp. didymum	ARS-13-324	R.Perriard,Denmark,HP,Cox form selfed
297	R. sargentianum	VRS sale-Dorsey	
2341	R. scabrifolium	ARS-13-645	J.Nielsen, JN12225, 2800m, N.W.Yunnan, Lijiang County
1732	R. schlippenbachii	ARS-06-568	Jes Hansen, DK, light pink with good autumn color
2107	R. schlippenbachii	RSF-11-4027	RSF 1987/016 selfed
607	R. scintillans	VRS sale, Dorsey	
1779	R. searsiae	ARS-08-229	O.J.Larsen,Norway, selfed
2354	R. selense ssp. dasycladum	ARS-13-646	J.Nielsen, JN12153, 3600m, Mid.W.Yunnan, Jianchuan County
1939	R. selense ssp. selense	ARS-09-137	B.Ranheim/R.A.Nielsen exp.R&N142, Beima Xue Shan,NW Yunnan,3714m
2535	R. semibarbatum	RSF-15-4370	1988/631 selfed
2506	R. sidereum ?	ARS-14-827	Bengt Ernebjerg,Den,BE-12-39, cw MaDoi Mtns, NW Burma, 2700m
2342	R. sikangense	ARS-13-647	J.Nielsen, JN12295, 3550m, S.Sichuan, Mianning County
2318	R. sikangense cookeanum	ARS-13-649	J.Nielsen, JN12262, 3550m, S.W.Sichuan, Jiulong County
2567	R. sikangense var. exquisitum	RHS-12-371 RHS15 seed	J.Nielsen,JN12354,North-central Yunnan, Luquan County,broader,shorter lvs
2248	R. sinofalconeri	RHS-11-334, RHS12 seed	CWT6336 En route to Fan Si Pan from Tran Son Pass. 2600m.



**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
2474	R. sinofalconeri	RSF-14-4293	2000/157 x 1998/688
2070	R. smirnowii	RSF-10-3719	RSF 1976/376 x 1983/191
1894	R. souliei	RSF-08-3294	RSF 1977/663 x 1976/245
1950	R. souliei	ARS-09-550	J.Nielsen, SW China exp., S Sichuan, 3800m
2339	R. souliei	ARS-13-656	J.Nielsen, JN12297, 3900m, S.Sichuan, Mianning County
2308	R. sp. Fortunea sp. nov ?	ARS-13-658	J.Nielsen, JN12417, 1700m, S.E.Hunan, Yizhang County
2087	R. sp. Lapponica (nivale ssp. boreale ?)	ARS-09-138	B.Ranheim/R.A.Nielsen exp.R&N026, Beima Xue Shan,NW Yunnan,4411m
2147	R. sp. Lapponica (tapetiforme?)	ARS-09-140	Ranheim/Nielsen,NW Yunnan,R&N 069,4378m, N28 20.009 E 099 04.600
2254	R. sp. Subsect. Irrorata	ARS-12-749	J.Nielsen, JN11087 W Central Yunnan 2500m, very hairy leaf margin, new?
2377	R. sp. Subsect. Thomsonia cf. hookeri NEW?	RHS-12-053,RHS13 seed	KR10491,Arunachal Pradash,West Siang,Mechuka
2383	R. sp. Subsect. Thomsonia populare?	RHS-12-074,RHS13 seed	KR10520,Arunachal Pradash,West Siang,Mechuka
2288	R. sp. Subsect. Triflora	ARS-12-746	J.Nielsen, JN11010 SE. Shaanxi 2100m,sim to ARS-12-745 except long ciliate calyx
1938	R. sphaeroblastum var. wumengense	ARS-09-551	J.Nielsen, SW China exp., S. Sichuan, 3900m
1712	R. spilotum	RHS-01-227, RHS07 seed	Clark, Muncaster, selfed
2300	R. stamineum	ARS-13-663	J.Nielsen, JN12395, 800m, S.W.Jiangxi, Jinggangshan County
2302	R. stamineum	RHS-12-387,RHS13 seed	J.Nielsen, JN12395,Southwest Jiangxi Jinggangshan County, 800m
1252	R. stamineum PW-97	PW-97 as R. sp. Triflora	Guizhou expedition 1994, 1650m, RSF 98 cat calls this stamineum
1581	R. stenopetalum 'Linearifolium'	Cannor Nursery 10/07	
2126	R. stewartianum	RHS-10-113, RHS11 seed	KR10027, Arunachal Pradesh,Anjaw district, AA5 3950m
2546	R. stewartianum	ARS-15-723	T.Atkinson,UK,TDA-723,cw, 3500-3900m, Anjaw dist., Arunachal Pradesh
677	R. strigillosum	Whitney Gardens	
2374	R. strigillosum	RSF-13-4035	1984/047 x 1977/627
2443	R. succothii?	RHS-12-054,RHS13 seed	KR10492,Arunachal Pradash,West Siang,Mechuka
2262	R. sulfureum	ARS-12-750	J.Nielsen, JN11062 W Yunnan 2800m
1917	R. sutchuenense	RSF-09-3417	RSF 1979/205 x 1969/816
2229	R. sutchuenense	RHS-11-171, RHS12 seed	Neilsen, JN11023 NE Chongqing 2300m, First recoll from this area in many years
1532	R. sutchuenense var. geraldii	ARS-05-504	P. Houbak, Denmark, selfed, cp
2353	R. taliense	ARS-13-664	J.Nielsen, JN12166, 4000m, Midwest Yunnan, Jianchuan/Lanping County
1102	R. tapetiforme	ARS-00-275	J.Nielson,Glendoick,Scotland, JN861, 4200m
2088	R. tapetiforme	ARS-09-139	B.Ranheim/R.A.Nielsen exp.R&N050, Beima Xue Shan,NW Yunnan,4478m
2050	R. tatsienense	ARS-10-702	J&R Nielsen,Den.S Sichuan 3000m NN0941
2379	R. tephropeplum	ARS-13-668	J.Nielsen, JN12146, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
2483	R. tephropeplum	RSF-14-4465	2008/093 x 2008/056
2076	R. thomsonii	RSF-10-3657	RSF 1994/106 x 1967/716
2378	R. thymifolium	ARS-13-669	J.Nielsen, JN12095, 3650m, W.Sichuan, Yajiang County
1103	R. trichostomum	ARS-00-281	J.Nielson,Glendoick,Scotland, JN944, 3100m
2256	R. triflorum var. multiflorum	ARS-12-754	J.Nielsen, JN11085 W Central Yunnan 2900m,New,5-6fls,rough non-peeling bark
2267	R. tsaii	ARS-12-755	J.Nielsen, JN11034 NE Yunnan 3000m,New to cult,true sp,not hippophaeoides aff.
754	R. tsangpoense	VRS April sale - Dorsey	distinctive curved styles
2023	R. tschonoskyi	ARS-10-427	T. Ishizaki, Japan, cw Gunma
2035	R. vaseyi	ARS-10-585	John Brown, US, cw High Hampton,NC 3000ft
2052	R. vaseyi	ARS-10-733	D. Hyatt,US, cw Transylvania Co. NC, diverse population, blush to strong pink
2099	R. vaseyi	ARS-10-734	D. Hyatt,US, cw Haywood Co. NC, diverse population, blush to strong pink

**Fearing's Farm Nursery: Varieties available as of April 18, 2017**  
**(Many are small and will be saleable only in late spring after first growth.)**  
**(For about 40%, we have only one or two plants available.)**

Clone	Name	Clone source	Clone comments
1937	R. vernicosum	ARS-09-552	J.Nielsen, SW China exp., Yunnan-Sichuan border, 3600m
2041	R. vernicosum	ARS-10-703	J&R Nielsen,Den.NN0937 S Sichuan 2800m
2512	R. wardii	RSF-13-4291	1967/721 x 2003/387
2284	R. wardii (var. puralbum ?)	ARS-13-677	J.Nielsen, JN12272, 4000m, S.W.Sichuan, Jiulong County
2283	R. watsonii	ARS-13-679	J.Nielsen, JN12027, 3400m, Cent.Sichuan, Wenchuan County
2500	R. wightii	ARS-14-866	T.Atkinson,UK, TDA314,cw Yumthang, 3500-4000m North Sikkim
2484	R. wiltonii	ARS-13-682	J.Nielsen, JN12326, 2500m, Cent.Sichuan, Emeishan County, normal indumentum
108	R. xanthocodon FCC		FCC form
2263	R. xanthostephanum	ARS-12-756	J.Nielsen, JN11069 W Yunnan 2900m
2309	R. xichangense	ARS-13-684	J.Nielsen, JN12265, 3600m, S.W.Sichuan, Jiulong County, new to cult.
2491	R. yedoense var. poukhanense	ARS-14-397	K. Theqvist, cw Jirisan Mountains, Guryong valley, 300 m, South Korea
2482	R. yuefengense	RSF-14-4487	2008/387 x 2008/453
2493	R. yuefengense	RSF-14-4488	2008/453 x 2008/387
2560	R. yuefengense	RSF-15-4639	2008/246 x 2008/438
773	R. yungningense	VRS May 92 sale - Clay	Labeled campylogynum - Hick's Pink
1960	R. yunnanense	ARS-09-141	B.Ranheim/R.A.Nielsen exp.R&N158, Beima Xue Shan,NW Yunnan,3509m
562	R. yunnanense var. suberosum	Cutting,fall 89,from TRIUMF	
1772	R. zekoense	ARS-04-615	J. Nielsen, cw, S. Qinghai, 4100m, probably first introduction
1308	Razorbill	Dorsey, VRS mtg, 11/05	
315	Royal Purple		
376	Seattle Springtime	Elk Lake Nursery	
759	September Song	Whitney	
592	Silver Skies	Cedar Hill Nursery	
411	St. Merryn	Elk Lake Nursery	
733	Teddy Bear	Elk Lake Nursery	Grown by Briggs Nursery, ARS Journal 46 p 42
595	Vibrant Violet	Elk Lake Nursery	
1263	Yunncinn	Elk Lake Nursery 9/01	
1809	brachycarpum ssp. tigerstedtii x rothschildii	ARS-08-380	K.Theqvist,Finland, ssp. tigerstedtii x rothschildii RSF 1975/182, cp
1941	brachycarpum ssp. tigerstedtii x thomsonii	ARS-09-302	K. Theqvist, Finland, thomsonii is RSF 1967/716, cp
757	yakushmanum x tsariense (Berg)	Whitney	