

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
672	Alison Johnstone	Van Dusen sale	
853	Azalea-Ben Morrison	April 95 Early show - Clay	
2146	Azalea-Wakaebisu	FRSR auction, June 2012,Clay	
2268	Azalea-deciduous yellow		Cuttings from McGiveron, from my clone #996, 1137, or 1257
1504	Blue Baron	Cannor Nursery	Mezitt hybrid
546	Brandywine	Cutting,fall 89,from TRIUMF	
539	Cinnkeys	VRS sale - G. Round	
547	Conroy	Cutting,fall 89,from TRIUMF	
790	Edwin O. Weber	May show sale 1993 - Clay	
369	Egret		
132	Emasculum		
9502	Enkianthus campanulatus	ARS-01-420	Weinz, USA
9668	Enkianthus deflexus	ARS-13-506	J.Nielsen, JN12174, 3200m, W.Yunnan, Lanping County,Mekong-Salween divide
9667	Enkianthus serrulatus	ARS-13-507	J.Nielsen, JN12415, 1300m, S.E.Hunan,Yizhang, PugeCounty, White fl form
493	Hill's Bright Red		
737	Horizon Monarch	Elk Lake Nursery	
9669	Kalmia buxifolium	ARS-12-446	M Creel US cw Sand Myrtle, local native Lexington County, SC.
9577	Kalmia latifolia	ARS-05-629	J. Hardy, US, cw, West Milford, NJ
9654	Kalmia latifolia	ARS-11-495	Don Hyat, US, cw, Swain Co,NC, pink with red stripes
261	Lem's Cameo		
231	Malahat		
1912	Mark Nelson	Matt and Cherry Groves	Named for their son
764	Mavis A. Davis	Bernie Nelson, Sedro Wooley	
594	Mrs. Lamot Copeland	Elk Lake Nursery	
290	Olga Mezitt		cross of two forms of minus var. minus
569	Pepperpot	Elk Lake Nursery	
2347	R. adenogynum	ARS-13-516	J.Nielsen, JN12216, 3200m, N.W.Yunnan, Lijiang County
2281	R. aganniphum (Maybe #520 R. agastum)	ARS-13-518	J.Nielsen, JN12097, 4300m, W.Sichuan, Yajiang County, thin indum,northern type
2499	R. albiflorum	HWF-14-02	cw, Manning Prov.Park, Oct, 2013
2068	R. albrechtii	ARS-09-182	Susumu Sato, Japan, cw
2092	R. alutaceum var. iodes	ARS-10-421	C.J.Staune,Denmark,cp, Cox x JCB 89-15
1800	R. ambiguum	ARS-08-258	P.H.Vestergaard,Norway,cp
2382	R. ambiguum	ARS-13-522	J.Nielsen, JN12322, 2950m, Cent.Sichuan, Emeishan County, mostly 5-6 fls/truss
1952	R. amundsenianum	ARS-09-536	J.Nielsen, SW China exp., S. Sichuan, 3950m
2435	R. amundsenianum	ARS-13-523	J.Nielsen, JN12304, 4100m, S.Sichuan, Mianning County,only 2nd known location
2522	R. amundsenianum	ARS-13-524	J.Nielsen, JN12321, 3950m, S.Sichuan, Puge County, from type location
1559	R. anthopogon ssp. anthopogon (orig. lepidotu	ARS-05-779	A.J.Clark,NE India Exp.04, W.Kameng,A.Pradesh, AC5419, 4100m
2306	R. anthosphaerum	ARS-13-526	J.Nielsen, JN12187, 3200m, Midwest Yunnan, Heqing County
1734	R. anwheiense	ARS-07-197	P. Schaarup, Denmark, cp, two clones
2111	R. arborescens	ARS-11-476	Don Hyatt, US, cw, Swain Co, NC
2222	R. arborescens	ARS-12-515	K Bernady, cw Somerset Co, PA collected from one plant population
2310	R. arboreum ssp. arboreum	RSF-13-4266	1964/118 selfed
2301	R. arboreum ssp. cinnamomeum var cinnamc	RSF-13-4296	1976/159 x 1999/538

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2325	<i>R. arboreum</i> ssp. <i>nilagiricum</i>	RHS-11-094, RHS13 seed	V&G Viraraghavan,Kodaikanal, Palmi Hills, Western Ghats Mt,Tamil Nadu, India
2311	<i>R. argipeplum</i>	RSF-13-4189	1975/061 selfed
2472	<i>R. argyrophyllum</i>	RSF-13-4184	2002/310 x 2002/330
2215	<i>R. arizelum</i>	ARS-12-079	O J Larsen, cw OJL 10-50 (SBBE) Bilouxueshan, Sewalongba Valley Yunnan 3600 r
2218	<i>R. arizelum</i>	RHS-11-506, RHS12 seed	OJL 10-48 SBBE Bilouxueshan, Sewalongba Valley, Yunnan 3450m
2497	<i>R. arizelum</i>	ARS-14-804	Bengt Ernebjerg,Den,BE-12-06, cw MaDoi Mtns, NW Burma, 2700m
2316	<i>R. asterochnoum</i>	ARS-13-527	J.Nielsen, JN12058, 3100m, W.Sichuan, Baxing County
2326	<i>R. atlanticum</i>	ARS-13-313	G.McLellan,US,cw,Prince George County, VA
109	<i>R. augustinii</i>		
2221	<i>R. augustinii</i>	ARS-12-700	J.Nielsen, JN11013 S. Shaanxi 1900m
548	<i>R. augustinii</i> 'Bergie'	Cutting,fall 89,from TRIUMF	
549	<i>R. augustinii</i> 'Berkeley's Blue'	Cutting,fall 89,from TRIUMF	
1267	<i>R. augustinii</i> 'Cerulean Mist'	RSF spring 05 sale	RSBG selected form, RSBG#2004/145
1054	<i>R. augustinii</i> 'Exbury'	Finley	
644	<i>R. augustinii</i> 'Hobbie'	VRS sale - Clay	
1964	<i>R. augustinii</i> 'Lakamus Blue'		Langley Bot.Gard. sale 10/10, bought from Clay
1309	<i>R. augustinii</i> 'Ness' Best Blue'	Dorsey, VRS mtg, 11/05	
1612	<i>R. augustinii</i> 'Playfair'	Clay, bought Feb08 FSRS mtg	
187	<i>R. augustinii</i> 'Tower Court'		Color may vary year to year
1685	<i>R. augustinii</i> ssp. <i>augustinii</i> 'Marine'	RSF Spring 2009 sale	RSF 2000/052, originated Bovee's nursery
1585	<i>R. augustinii</i> ssp. <i>augustinii</i> 'Whalley form'	RSF Fall sale 2007	RSF 1977/286
2293	<i>R. aureodorsale</i>	ARS-12-702	J.Nielsen, JN11004 SC Shaanxi 3000m syn. <i>clementinae</i> ssp <i>aureodorsale</i>
2327	<i>R. aureodorsale</i>	ARS-12-701	J.Nielsen, JN11003 SC Shaanxi 3000m syn. <i>clementinae</i> ssp <i>aureodorsale</i>
2292	<i>R. auriculatum</i>	RSF-13-4372	1976/072 x 1967/698
946	<i>R. auritum</i>	RSF-96-007	65/269 x 84/048
2199	<i>R. austrinum</i>	ARS-12-481	T Milner US cw Pascagoula River WMA, Jackson Co MS,1½" orange bloom
2315	<i>R. balangense</i>	ARS-13-530	J.Nielsen, JN12019, 2650m, Cent.Sichuan, Wenchuan County
2371	<i>R. balfourianum</i> var. <i>aganniphoides</i>	ARS-13-531	J.Nielsen, JN12255, 4000m, S.W.Sichuan, Muli County
1790	<i>R. barbatum</i>	RSF-08-3151	RSF 2004/230 x 1965/304
2480	<i>R. barbatum</i>	ARS-14-858	T.Atkinson,UK, TDA273,cw Bersay Rhodo Sanctuary,2500m South Sikkim
1166	<i>R. barkamense</i>	ARS-03-705	Alan Clark, AC-3990, 3800m, Muge Che, Kanding, SW Sichuan
2102	<i>R. basilicum</i>	ARS-11-532	R.Zimmerman,US, hp, <i>basilicum</i> RSF 97/215 x <i>basilicum</i> RSF 82/38
2112	<i>R. basilicum</i>	ARS-11-531	R.Zimmerman,US, hp, <i>basilicum</i> Watts x <i>basilicum</i> RSF 97/215 selfed
2489	<i>R. basilicum</i>	ARS-12-703	J.Nielsen, JN11056 W Yunnan 3300m
2495	<i>R. beanianum</i>	ARS-14-829	Bengt Ernebjerg,Den,BE-12-41, cw MaDoi Mtns, NW Burma, 3400-3500m
2511	<i>R. beanianum</i> ,(or <i>pocophorum</i> var. <i>pocophoru</i>)	ARS-14-823	Bengt Ernebjerg,Den,BE-12-30, cw MaDoi Mtns, NW Burma, 3000m
2381	<i>R. brachyanthum</i> ssp. <i>hypolepidotum</i>	ARS-13-535	J.Nielsen, JN12136, 3000m, W.Yunnan, Weixi County, Mekong-Salween divide
2521	<i>R. brachyanthum</i> ssp. <i>hypolepidotum</i>	RHS-13-406,RHS14 seed	B.Ernebjerg,Den,BE-09-28,cw Burma,W border Arunachal Pradesh,3400m
2307	<i>R. bracteatum</i>	ARS-13-536	J.Nielsen, JN12020, 2650m, Cent.Sichuan, Wenchuan County
2510	<i>R. bracteatum</i>	RHS-12-214,RHS13 seed	J.Nielsen, JN12020,Central Sichuan,Wenchuen County,2650m
1785	<i>R. bureavii</i>	RSF-08-3178	RSF 1983/036 selfed
2485	<i>R. bureavii</i>	ARS-13-537	J.Nielsen, JN12214, 3900m, Midwest Yunnan, Eryuan County, western type
1926	<i>R. bureavii</i> aff. (sp. nova?)	ARS-09-537	J.Nielsen, SW China exp., S. Sichuan, 3800m

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2336	R. bureavioides	RHS-12-241,RHS13 seed	J.Nielsen, JN12084,West Sichuan,Kangding County,3000m
2361	R. bureavioides	ARS-13-541	J.Nielsen, JN12084, 3000m, W.Sichuan, Kangding County
2061	R. calendulaceum	ARS-10-714	D. Hyatt,US, cw near Engine Gap,Mitchill Co. NC, diverse population
2298	R. calendulaceum	ARS-12-503	Hyatt, cw Hooper Copper, Hooper Bald, Graham County, NC
2056	R. calendulaceum (seeds from yellow plant)	ARS-10-716	D. Hyatt,US, cw near Jane Bald,Mitchill Co. NC, golden yellow
781	R. callimorphum (RBG)	VRS Oct. sale - Martyn	
2044	R. calophytum	RSF-10-3629	RSF 1978/083 x 1977/283
2020	R. calostrotum	ARS-09-350	R. Perriard,Denmark, cw Zhibenshan,Yunnan 3200m
1390	R. calostrotum ssp. riparium	RSF spring 2006 sale	RSF 1969/779
2490	R. camelliflorum	ARS-14-896	T.Atkinson,UK, TDA371,cw entrance to Singba, 3500m North Sikkim
658	R. campanulatum	Rhodoland	
2071	R. campanulatum ssp. campanulatum	RSF-10-3676	RSF 1976/198 x 1975/141
2503	R. campylocarpum	ARS-14-870	T.Atkinson,UK, TDA333,cw Yumthang, 3500-4000m North Sikkim
2505	R. campylocarpum ssp. caloxanthum	ARS-14-813	Bengt Ernebjerg,Den,BE-12-15, cw MaDoi Mtns, NW Burma, 3500m
2186	R. campylogynum (dwarf form)	Devon nursery 4/13	
2403	R. campylogynum (dwarf variety)	Purchased - Erica 2014	
712	R. campylogynum var. charoepum 'Patricia'	Elk Lake Nursery	Suseptible to rust
2027	R. camtschaticum	ARS-09-143	Ranheim/Nielsen,NW Yunnan, op
2136	R. camtschaticum	RHS-10-164, RHS11 seed	M. Jorgensen, Denmark, cw
2289	R. canadense	ARS-13-443	W.Ostrom,N.S.,cw Indian Harbor NS
2305	R. cerasinum (misabeled - R. x erythrocalyx?)	RHS-12-115,RHS13 seed	KR10681,Arunachal Pradash,West Siang,Mechuka
2330	R. championae	ARS-13-544	J.Nielsen, JN12408, 900m, S.E.Hunan, Yanling County
2240	R. changii	ARS-12-704	J.Nielsen, JN11029 S Chongqing 2200m,northern most hardy Maddenia.
2502	R. chrysodoron	ARS-14-033	Nan Ray, CA, hp
2261	R. ciliatum	RSF-12-4048	RSF 2000/094 x 2000/111
2373	R. cinnabarinum	RHS-11-533,RHS13 seed	TDA49,West Sikkim between Dzungri and Prek chu 3800m
1391	R. cinnabarinum ssp. xanthocodon (Concat.G	RSF spring 2006 sale	RSF 1970/323, Fortescue, apricot fls
2507	R. citriniflorum	ARS-14-830	Bengt Ernebjerg,Den,BE-12-42, cw MaDoi Mtns, NW Burma, 3400-3500m
2501	R. citriniflorum or dichroanthum	ARS-14-832	Bengt Ernebjerg,Den,BE-12-44, cw MaDoi Mtns, NW Burma, 3400-3500m
2319	R. clementinae	ARS-13-545	J.Nielsen, JN12164, 4000m, Midwest Yunnan, Jianchuan/Lanping County
2250	R. coeloneuron	RSF-12-3649	RSF 1998/420 x 1998/658
1359	R. columbianum	ARS-04-071	R. Craven, cw Lincoln Beach, Oregon
2024	R. complexum	ARS-10-679	J&R Nielsen,Den.NN0911 S NE Yunnan, 3700m
1503	R. concatenans 'Larson's form'	PARS sale 3/07 Sue K.	
2217	R. coriaceum	RHS-11-507, RHS12 seed	OJL 10-39 SBBE Bilouxueshan, Benggu pasture, Yunnan 3500m
2313	R. crinigerum	ARS-13-550	J.Nielsen, JN12145, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
2212	R. cumberlandense	ARS-12-519	K Bernady, cw Union Co, GA collected from a plant population of mixed colors
2363	R. cuneatum	ARS-13-551	J.Nielsen, JN12241, 3750m, N.W.Yunnan, Ninglang County
2247	R. cyanocarpum	RHS-11-125, RHS12 seed	Neilsen, JN11039 Midwest Yunnan 3400m
2317	R. danbaense aff.	ARS-13-554	J.Nielsen, JN12047, 3700m, W.Sichuan, Xiaojin County,(Berg's bureavioides)
706	R. davidsonianum 'Ruth Lyons'	Mandeville	
2237	R. davidsonianum aff	ARS-12-706	J.Nielsen, JN11038 NE Yunnan 3200m Quite compact, smaller broad dark scaled lv:
552	R. davidsonianum white form	Cutting,fall 89,from TRIUMF	fragrant

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2234	<i>R. decorum</i> aff.	ARS-12-707	J.Neilsen, JN11037 NE Yunnan 3200m. Compact round leaf type from top of mtn
2233	<i>R. decorum</i> ssp. <i>diaprepes</i>	ARS-12-708	J.Neilsen, JN11074 SW Yunnan 2800m
1932	<i>R. degronianum</i> ssp. <i>heptamerum</i> var. <i>heptar</i>	ARS-09-210	E.Yoshimura, Japan, pink, cw Pref. Nagasaki
1924	<i>R. degronianum</i> ssp. <i>yakushmanum</i>	RSF-09-3505	RSF 1987/035 x 1993/037
2251	<i>R. degronianum</i> ssp. <i>yakushmanum</i>	RSF-12-3956	RSF 1975/260 x 1987/035
2232	<i>R. delavayi</i>	ARS-12-709	J.Neilsen, JN11040 Midwest Yunnan, 3200m. Near altitude limit of species
2467	<i>R. delavayi</i>	ARS-13-561	J.Nielsen, JN12350, 2900m, N.Cen.Yunnan, Luquan County, Hardy from this area
2051	<i>R. denudatum</i>	ARS-10-683	J&R Nielsen, Den.NN0908 S NE Yunnan, 3300m
2231	<i>R. dichroanthum</i> ssp. <i>scyphocalyx</i>	ARS-12-712	J.Neilsen, JN11057 W Yunnan 3300m
2198	<i>R. eastmanii</i>	ARS-12-449	M Creel US hp
2346	<i>R. eclecteum</i>	ARS-13-567	J.Nielsen, JN12143, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
1776	<i>R. eclecteum</i> var. <i>eclecteum</i>	RSF-08-3147	RSF 1975/121 x 1994/017
2204	<i>R. edgeworthii</i>	RSF-12-3898	RSF 2005/092 x 1998/454
2516	<i>R. edgeworthii</i>	ARS-14-808	Bengt Ernebjerg, Den, BE-12-10, cw MaDoi Mtns, NW Burma, 2700m
2127	<i>R. elegantulum</i>	RSF-11-3651	RSF 1981/129 x 1975/142
2351	<i>R. elegantulum</i>	RHS-11-087, RHS12 seed	C. Staune, hp Reuthe form x Bovee form
2358	<i>R. elegantulum</i>	ARS-13-569	J.Nielsen, JN12240, 3750m, N.W.Yunnan, Ninglang County
2323	<i>R. elliotii</i>	RSF-13-4352	1988/081 selfed
1735	<i>R. erubescens</i>	ARS-07-308	H.Eiberg, Denmark, ARS-03-183, selfed, cp, red blotch, syn <i>oreodoxa</i> var <i>fargesii</i>
1775	<i>R. faberi</i> ssp. <i>faberi</i> (Clark)	ARS-08-745	A.Clark, UK, C&N6158, cw, Emei Shan, Sichuan, 2500-3000m
2100	<i>R. facetum</i>	RSF-11-4002	RSF 1994/437 selfed
2225	<i>R. facetum</i>	ARS-12-715	J.Neilsen, JN11041 Midwest Yunnan 3150m
2290	<i>R. facetum</i>	ARS-12-716	J.Neilsen, JN11055 W Yunnan 2900m
2121	<i>R. falconeri</i>	RSF-11-3909	RSF 1981/079 selfed
2471	<i>R. falconeri</i>	ARS-14-863	T.Atkinson, UK, TDA286, cw Bersay Rhodo Sanctuary, 2500m South Sikkim
2515	<i>R. falconeri</i>	RHS-13-059, RHS14 seed	T.Atkinson, UK, TDA271, cw Bersay Rhodo Sanctuary, 2500m South Sikkim
2331	<i>R. fastigiatum</i>	ARS-13-571	J.Nielsen, JN12209, 3700m, Midwest Yunnan, Eryuan County
2090	<i>R. ferrugineum</i>	ARS-10-005	M. Jorgensen, Den, cw Cirque de Garannie, France 2108 m
2479	<i>R. ferrugineum</i>	ARS-14-054	M.Jorgensen, Den, cw Valsavarenche, Aosta, Italy, 2200 m
1792	<i>R. fictolacteum</i> aff., (Clark)	ARS-08-656	A.Clark, UK, C&N5981, cw Jiaozhi Xie Shan, Yunnan, 3200-3800m
2369	<i>R. flavidum</i>	ARS-13-575	J.Nielsen, JN12094, 3650m, W. Sichuan, Yajiang County
2328	<i>R. floccigerum</i>	ARS-13-576	J.Nielsen, JN12140, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
2438	<i>R. forrestii</i> ssp. <i>forrestii</i>	RSF-13-4264	1998/264 selfed
2303	<i>R. fortunei</i> ssp. <i>discolor</i>	RSF-13-4337	1979/043 selfed
1918	<i>R. fortunei</i> ssp. <i>fortunei</i>	RSF-09-3499	RSF 1969/813 x 1976/340
2115	<i>R. fulvoides</i>	ARS-11-533	R.Zimmerman, US, hp, fulvoides ACU Berry x fulvoides JN
960	<i>R. fulvum</i>	ARS-94-180	RSF 64/048 x 65/490
2349	<i>R. fulvum</i>	ARS-13-578	J.Nielsen, JN12207, 3600m, Midwest Yunnan, Eryuan County
2380	<i>R. fuyuanense</i>	ARS-13-579	J.Nielsen, JN12347, 2400m, N.Cen.Yunnan, Qujing Co, new to cult.
2124	<i>R. galactinum</i>	RSF-11-3976	RSF 1979/110 selfed
2486	<i>R. galactinum</i>	ARS-13-580	J.Nielsen, JN12060, 3100m, W. Sichuan, Baoxing County
1934	<i>R. glanduliferum</i>	RSF-09-3531	RSF 1998/797 x 1998/795
2470	<i>R. glanduliferum</i>	RSF-13-4355	1998/780 x 1998/764

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2278	<i>R. glischrum</i>	ARS-13-582	J.Nielsen, JN12176, 3300m, W.Yunnan, Lanping County, Mekong-Salween divide
2375	<i>R. glischrum</i> ssp. <i>rude</i>	RHS-12-028, RHS13 seed	KR10415, Arunachal Pradesh, West Siang, Mechuka
585	<i>R. glomerulatum</i> (=yungningense)	Elk Lake Nursery	
957	<i>R. groenlandicum</i>	ARS-93-218	E.J.Somers, New Zealand, hp
2125	<i>R. haematodes</i>	RSF-11-3697	RSF 1975/145 x 1970/043
778	<i>R. hanceanum</i> nanum	VRS May 92 sale - Dorsey	
1104	<i>R. heliopsis</i>	ARS-02-715	S. Hootman, 2001 Yunnan exped., DGEY#426
1948	<i>R. heliopsis</i> var. <i>fumidum</i>	ARS-09-541	J.Nielsen, SW China exp., S. Sichuan, 3800m
1954	<i>R. hemitrichotum</i>	ARS-09-542	J.Nielsen, SW China exp., SW. Sichuan, 2800m
2436	<i>R. heteroclitum</i> aff.	ARS-13-586	J.Nielsen, JN12050, 4050m, W. Sichuan, Baoxing County, new to cult.
2524	<i>R. heteroclitum</i> aff.	RHS-12-225, RHS13 seed	J.Nielsen, JN12050, West Sichuan, Baoxing County, 4050m, new to cult.
396	<i>R. hippophaeoides</i> 'Haba Shan'	From C. Bergthorson	
2444	<i>R. hippophaeoides</i> var. <i>occidentale</i>	ARS-13-587	J.Nielsen, JN12126, 2950m, W. Yunnan, Weixi County
1567	<i>R. hirsutum</i>	ARS-05-598	J. Halse, Denmark, cp
1160	<i>R. hirtipes</i>	ARS-03-659	Ron Rabideau, cw SE Tibet, TARRVS-065, Sirchem La, 3839m
2118	<i>R. hodgsonii</i>	ARS-11-535	R.Zimmerman, US, hp, cw seed x sibling
2487	<i>R. huanum</i> (huianum)	RSF-14-4269	1999/484 x 1999/478
2355	<i>R. huidongense</i>	ARS-13-588	J.Nielsen, JN12012, 3150m, S. Sichuan, Huidong County, new to cult.
2314	<i>R. hunnewellianum</i>	ARS-13-589	J.Nielsen, JN12017, 2050m, Cent. Sichuan, Wenchuan County
1123	<i>R. hunnewellianum</i> ssp. <i>hunnewellianum</i>	ARS-03-2039	RSF 2000, 66/575 x 84/150
2208	<i>R. hunnewellianum</i> ssp. <i>rockii</i>	RHS-11-140, RHS12 seed	Neilsen, JN11008 Light yellowish indumentum. SE Gansu 2000m
2294	<i>R. hylaeum</i>	ARS-13-592	J.Nielsen, JN12135, 3000m, W. Yunnan, Weixi County, Mekong-Salween divide
2337	<i>R. hylaeum</i>	RHS-12-265, RHS13 seed	J.Nielsen, JN12135, West Yunnan, Weixi County, 3000m
2202	<i>R. hypoglucum</i>	ARS-12-721	J.Nielsen, JN11021 S.E. Shaanxi 1900m
2209	<i>R. hypoleucum</i> 'Teshio'	RHS-11-055, RHS12 seed	B Starling, op but does not cross
1906	<i>R. insigne</i>	RSF-08-3311	RSF 1981/132 x 1976/162
646	<i>R. intricatum</i>	VRS sale - Dorsey	
2440	<i>R. intricatum</i>	ARS-13-594	J.Nielsen, JN12267, 4200m, S.W. Sichuan, Jiulong County
2203	<i>R. irroratum</i> ssp. <i>pogonostylum</i> ,	ARS-12-723	J.Nielsen, JN11073 SW Yunnan 2700m
2134	<i>R. johnstoneanum</i>	RSF-09-3452	RSF 430sd2003 selfed
2348	<i>R. kasoense</i>	RHS-12-018, RHS13 seed	KR10380, Arunachal Pradesh, West Siang, Mechuka
2322	<i>R. kasoense</i> aff?	RHS-12-091, RHS13 seed	KR10577, Arunachal Pradesh, West Siang, Mechuka
1810	<i>R. keiskei</i>	ARS-07-003	T. Ishizaki, Japan, cw Gunma Pre. 1000m, Mt. Hisawa
2259	<i>R. keiskei</i>	ARS-12-006	I Toyoji, cw Takasaki, Gunma, Japan
1947	<i>R. kesangiae</i>	RSF-09-3204	RSF 1994/387 x 1991/071
2201	<i>R. kyawi</i>	ARS-12-724	J.Nielsen, JN11066 W Yunnan 3000m
1943	<i>R. lacteum</i>	ARS-09-544	J.Nielsen, SW China exp., S. Sichuan, 3900m
2133	<i>R. lanatum</i>	ARS-10-625	P.Houbak, Den, hp (cw Sikkim ARS) x (Hookers form RF 262-93) selfed
2280	<i>R. latoucheae</i>	ARS-13-602	J.Nielsen, JN12412, 1100m, S.W. Hunan, Yanling County
2200	<i>R. laxiflorum</i>	ARS-12-725	J.Nielsen, JN11079 W Central Yunnan 2700m. <i>R. annae</i> ssp. <i>laxiflorum</i>
389	<i>R. lepidostylum</i>	From C. Bergthorson	
2287	<i>R. lepidotum</i>	RHS-11-514, RHS12 seed	OJLarsen, pink fls, hp, selfed
2223	<i>R. leptocladon</i> aff.	RHS-11-351, RHS12 seed	CWT6353 En route to Fan Si Pan from Tran Son Pass. 2600m.

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2207	<i>R. leptothrium</i>	ARS-12-726	J.Nielsen, JN11077 SW Yunnan 2800m
2387	<i>R. levinei</i> aff.	ARS-13-603	J.Nielsen, JN12403, 1300m, S.W.Jiangxi, Jinggangshan County
2036	<i>R. liliiflorum</i>	ARS-10-689	J&R Nielsen,Den.NN0958 SW Guizhou 1850m
2299	<i>R. longesquamatum</i>	RHS-12-215,RHS13 seed	J.Nielsen, JN12021,Central Sichuan,Wenchuen County,2650m
2321	<i>R. longesquamatum</i>	ARS-13-604	J.Nielsen, JN12376, 1000m, S.W.Hunan, Chengbu County
2116	<i>R. longipes</i>	RSF-11-4013	RSF 1999/476 selfed
2362	<i>R. lukiangense</i>	ARS-13-605	J.Nielsen, JN12128, 2500m, W.Yunnan, Weixi County, Mekong-Salween divide
2077	<i>R. lutescens</i>	ARS-10-691	J&R Nielsen,Den.NN0935 S Sichuan 2600m
574	<i>R. lysolepis</i>	Elk Lake Nursery	
2494	<i>R. macrophyllum</i>	HWF-14-01	cw, Manning Prov.Park, Oct, 2013
1327	<i>R. maculiferum</i>	ARS-04-608	J. Nielsen, cw, E. Chongqing 2200m
2206	<i>R. maculiferum</i>	ARS-12-727	J.Nielsen, JN11024 NE Chongqing 2400m
2246	<i>R. maddenii</i> ssp. <i>crassum</i>	RHS-11-149, RHS12 seed	Neilsen, JN11082 W Central Yunnan 2800m
1745	<i>R. magnificum</i>	RSF-07-2933	RSF 1981/080 selfed
2040	<i>R. magniflorum</i>	ARS-10-692	J&R Nielsen,Den.NN0959 SW Guizhou 1750m
2197	<i>R. makinoi</i>	RSF-13-4095	1997/144 selfed
2478	<i>R. makinoi</i>	RSF-12-4095	RSF 1997/144 selfed
2049	<i>R. mallotum</i>	RSF-10-3579	RSF 1966/557 x 1987/008
2151	<i>R. mallotum</i>	RSF-11-3830	RSF 1876/150 x 1966/557
2279	<i>R. mariesii</i>	ARS-13-606	J.Nielsen, JN12409, 2500m, S.E.Hunan, Yanling County
962	<i>R. maximum</i>	RSF-96-063	75/137 'Mt.Mitchell' x 83/192 'compactum'
1561	<i>R. maximum</i>	ARS-05-407	F. Pelurie,US, cw Cheat Bridge, WV
1040	<i>R. maximum</i> (red form)	ARS-02-063	C. Trautman,Mowbray Gardens, cw Curtis Cr.,NC by Ed Collins
2108	<i>R. meddianum</i> var. <i>atrokermesinum</i>	RHS-10-101, RHS11 seed	KR10081, Arunachal Pradesh,Anjaw district, Krang Ti Camp 3078m
1782	<i>R. megacalyx</i>	RSF-07-3073	RSF 1980/134 selfed
938	<i>R. megeratum</i>	Frank Dorsey	
1748	<i>R. metternichii</i> var. <i>pentamerum</i>	ARS-07-109	E. Yoshimura, Japan, pink, cw. Mt. Surikogi
2437	<i>R. mianningense</i>	ARS-13-607	J.Nielsen, JN12300, 4050m, S.Sichuan, Mianning County, new to cult.
848	<i>R. micranthum</i>	Whitney, March 1995	Orig. label was <i>R. microphyton</i>
2055	<i>R. minus</i> var. <i>carolinianum</i>	ARS-10-732	D. Hyatt,US, cw Buncomb Co. NC, white with yellow blotch
1760	<i>R. minus</i> var. <i>chapmanii</i>	ARS-06-762	John Thornton, US cw Gulf Co FL
2304	<i>R. mitriforme</i> ?	ARS-13-608	J.Nielsen, JN12376, 1000m, S.W.Hunan, Chengbu County
2488	<i>R. molle</i> ssp. <i>molle</i>	RSF-14-4477	1980/091 x 2000/219
2442	<i>R. monanthum</i>	ARS-13-609	J.Nielsen, JN12142, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
1927	<i>R. morii</i>	RSF-09-3233	RSF 1977/377 x 1995/034
2074	<i>R. moupinense</i>	RSF-10-3555	RSF 1979/131 x 1997/090
2132	<i>R. moupinense</i>	ARS-11-070	J.Sinclair, hp, moupinense dark pink x moupinense dark pink
2496	<i>R. mucronulatum</i>	ARS-14-399	K. Theqvist, cw Seoraksan Mountains, 1250-1280 m, South Korea
2466	<i>R. mucronulatum</i> var. <i>ciliatum</i>	ARS-14-400	K. Theqvist, cw Jirisan Mountains, 1400-1500 m, South Korea
1367	<i>R. myrtifolium</i>	ARS-04-088	O. J. Larsen, Norway
2245	<i>R. neriiflorum</i>	ARS-12-732	J.Nielsen, JN11051 W Yunnan 3000m
2384	<i>R. neriiflorum</i>	ARS-13-610	J.Nielsen, JN12178, 3200m, W.Yunnan, Lanping County, Mekong-Salween divide
2476	<i>R. nipponicum</i>	RHS-11-517, RHS12 seed	OJLarsen, op but does not cross

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2286	R. nitidulum	ARS-13-611	J.Nielsen, JN12089, 3750m, W.Sichuan, Kangding County
1278	R. nitidulum var. omeiense	RSF spring 05 sale	KR#185, Glendoick, RSBG#1984/114
2368	R. nivale ssp. boreale	ARS-13-613	J.Nielsen, JN12037, 4300m, W.Sichuan, Xiaojin County
2032	R. nudipes	RSF-08-3024	RSF 1989/018 x 1981/057
2509	R. occidentale 'Patrick's Point 2604'	ARS-14-346	M. McCullough, CA cw Patrick's Point SP, Humboldt Co. CA
2498	R. occidentale 'Stagecoach 1901'	ARS-14-355	M. McCullough, CA cw Stagecoach Hill, Humboldt Co. CA
2376	R. ochraceum	RSF-13-4209	2004/292 x 2004/266
2477	R. ochraceum	RSF-13-4281	1998/636 x 2004/292
2475	R. oldhamii	RHS-12-187, RHS13 seed	M. Miles, wild collected in Taiwan
2069	R. oligocarpum	RSF-10-3690	RSF 1996/075 x 1996/078
1955	R. orbiculare	RSF-09-3509	RSF 1994/411 x 1999/038
2097	R. orbiculare	RSF-11-3692	RSF 1873/205 x 1974/043
1170	R. oreodoxa	ARS-03-752	Alan Clark, AC-4065, 3900m, Muge Che, Kanding, SW Sichuan
2285	R. oreodoxa	ARS-13-617	J.Nielsen, JN12281, 3400m, S.Sichuan, Mianning County
2220	R. pachypodium	ARS-12-735	J.Nielsen, JN11046 Midwest Yunnan 2600m
2244	R. pachypodium, (rufosquamosum)	ARS-12-736	J.Nielsen, JN11076 SW Yunnan 2800m. Stronger growing, red brown scales in sun
1801	R. pachysanthum	RSF-08-3238	RSF 1993/043 x 1996/106
1339	R. pachytrichum	ARS-04-190	R. Zimmerman, US, RBG Edinburgh, selfed
2367	R. pachytrichum	ARS-13-622	J.Nielsen, JN12057, 3300m, W.Sichuan, Baoxing County
1615	R. parmulatum	Badminton, FSRS mtg 3/08	
2513	R. pendulum	ARS-14-901	T. Atkinson, UK, TDA378, cw entrance to Singba, 3500m North Sikkim
2026	R. periclymenoides	ARS-10-646	K. Bernady, US, hp, periclymenoides 'Purple Paladin' x lavender flowered peri.
1942	R. phaeochrysum	ARS-09-547	J.Nielsen, SW China exp., S Sichuan, 3900m
2095	R. pingianum	RSF-11-3975	RSF 190/252 x 1979/161
2473	R. planetum	ARS-14-488	E. Moser, Germany, hp
2517	R. pocophorum	RHS-13-398, RHS14 seed	B. Ernebjerg, Den, BE-09-09, cw Burma, W border Arunachal Pradesh, 3600m
2340	R. polycladum	ARS-13-627	J.Nielsen, JN12188, 3250m, Mid.W. Yunnan, Heqing County
918	R. polylepis	From Finley, 2/97	
2312	R. polytrichum	ARS-13-628	J.Nielsen, JN12380, 1150m, S.W. Hunan, Chengbu County, new to cult.
2119	R. praevernum	RSF-11-3571	RSF 1982/008 x 1966/563
1342	R. praevernum (RSF)	ARS-04-2016	RSF 2002
2296	R. prattii	ARS-13-629	J.Nielsen, JN12026, 3400m, Cent. Sichuan, Wenchuan County
2159	R. primuliflorum 'Doker La'	Sue K, VRS 9/12 bought	
1069	R. principis	ARS-95-334	J. Sinclair, WA, Borde Hill, selfed
2148	R. proteoides	ARS-10-144	B. Ranheim & R. Nielsen, Norway, cw, Beima Xue Shan, Benzilan, Yunnan, 4475m
659	R. pseudochrysanthum	Rhodoland	
1922	R. pseudochrysanthum	RSF-09-3243	RSF 1976/051 x 1995/243
2266	R. pseudociliipes	ARS-12-738	J.Nielsen, JN11070 W Yunnan 2800m. Recently introduced.
1900	R. pubescens	ARS-08-510	Robert Barnard, US, JN988 x another from same seed lot, cp
2297	R. pubescens	ARS-13-631	J.Nielsen, JN12253, 3350m, S.W. Sichuan, Muli County
2034	R. qiaojaense	ARS-10-694	J&R Nielsen, Den. NN0903 S NE Yunnan, 2800m
2094	R. quinquefolium	RSF-11-4025	RSF 1983/091 selfed
2205	R. ramsdenianum	RSF-12-3812	RSF 1965/487 x 1970/164

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2060	R. rex	ARS-10-696	J&R Nielsen,Den.NN0942 S Sichuan 3000m
2492	R. rex	RHS-11-162, RHS12 seed	J.Nielsen, JN11084 Disjunct SW population. W Central Yunnan 2900m
1920	R. rex ssp. fictolacteum	RSF-09-3494	RSF 1975/158 x 1977/548
2073	R. rex ssp. rex	RSF-10-3695	RSF 1975/118 x 1976/081
523	R. rigidum	Van Dusen sale	very fragrant
2291	R. rigidum	ARS-13-636	J.Nielsen, JN12177, 2750m, Mid.W.Yunnan, Eryuan County
536	R. rigidum 'Bodinieri'	VRS sale - Dorsey	Very fragrant
2230	R. ririei	RSF-12-3560	RSF 1965/454 x 1984/120
2324	R. rothschildii	RSF-13-4262	2001/073 x 1975/182
1936	R. roxieanum var. cucullatum	ARS-09-548	J.Nielsen, SW China exp., S. Sichuan, 3950m, TYPE location
1901	R. rubiginosum (orig. searsiae (Clark))	ARS-08-706	A.Clark, UK, C&N6058,cw,Huangmaogeng,Leibo Co,Sichuan,2500-2800m
2062	R. rufhirtum	ARS-10-697	J&R Nielsen,Den.NN0915 NE Yunnan, 1700m
1098	R. rupicola	ARS-00-251	J.Nielsen,Glendoick,Scotland, JN962, 3750m, usually plum purple
2345	R. rupicola	ARS-13-644	J.Nielsen, JN12268, 4200m, S.W.Sichuan, Jiulong County
2390	R. rupicola	ARS-13-643	J.Nielsen, JN12157, 3700m, Mid.W.Yunnan, Jianchuan County
842	R. russatum (tall form)	Oct.94 sale - Finley	
307	R. saluenense		
2320	R. sanguineum ssp. didymum	ARS-13-324	R.Perriard,Denmark,HP,Cox form selfed
2350	R. sanguineum ssp. sanguineum var.haemale	RHS-12-205,RHS13 seed	R. Vigrestad, Ba La Laka, Yunnan, 3800m
297	R. sargentianum	VRS sale-Dorsey	
2341	R. scabrifolium	ARS-13-645	J.Nielsen, JN12225, 2800m, N.W.Yunnan, Lijiang County
1732	R. schlippenbachii	ARS-06-568	Jes Hansen, DK, light pink with good autumn color
2107	R. schlippenbachii	RSF-11-4027	RSF 1987/016 selfed
607	R. scintillans	VRS sale, Dorsey	
1779	R. searsiae	ARS-08-229	O.J.Larsen,Norway, selfed
2354	R. selense ssp. dasycladum	ARS-13-646	J.Nielsen, JN12153, 3600m, Mid.W.Yunnan, Jianchuan County
930	R. setosum	ARS-94-110	Jens Nielsen, Den., 3900m, Nepal
2037	R. sherriffii	RSF-10-3577	RSF 1976/155 x 1976/193
2506	R. sidereum ?	ARS-14-827	Bengt Ernebjerg,Den,BE-12-39, cw MaDoi Mtns, NW Burma, 2700m
2342	R. sikangense	ARS-13-647	J.Nielsen, JN12295, 3550m, S.Sichuan, Mianning County
2318	R. sikangense cookeanum	ARS-13-649	J.Nielsen, JN12262, 3550m, S.W.Sichuan, Jiulong County
2211	R. sinofalconeri	RHS-11-402, RHS12 seed	CWT6405 San Sa Ho area. Approx 20km. S.E. of Sa Pa 2900m
2474	R. sinofalconeri	RSF-14-4293	2000/157 x 1998/688
2070	R. smirnowii	RSF-10-3719	RSF 1976/376 x 1983/191
1894	R. souliei	RSF-08-3294	RSF 1977/663 x 1976/245
1950	R. souliei	ARS-09-550	J.Nielsen, SW China exp., S Sichuan, 3800m
2339	R. souliei	ARS-13-656	J.Nielsen, JN12297, 3900m, S.Sichuan, Mianning County
2308	R. sp. Fortunea sp. nov ?	ARS-13-658	J.Nielsen, JN12417, 1700m, S.E.Hunan, Yizhang County
2087	R. sp. Lapponica (nivale ssp. boreale ?)	ARS-09-138	B.Ranheim/R.A.Nielsen exp.R&N026, Beima Xue Shan,NW Yunnan,4411m
2147	R. sp. Lapponica (tapetiforme?)	ARS-09-140	Ranheim/Nielsen,NW Yunnan,R&N 069,4378m, N28 20.009 E 099 04.600
2377	R. sp. Subsect. Thomsonia cf. hookeri NEW?	RHS-12-053,RHS13 seed	KR10491,Arunachal Pradash,West Siang,Mechuka
2383	R. sp. Subsect. Thomsonia populare?	RHS-12-074,RHS13 seed	KR10520,Arunachal Pradash,West Siang,Mechuka
2235	R. sp. Subsect. Triflora	ARS-12-745	J.Nielsen, JN11002 NW Henan 2200m,purple fl, aromatic lvs, widespread

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2288	R. sp. Subsect. Triflora	ARS-12-746	J.Nielsen, JN11010 SE. Shaanxi 2100m, sim to ARS-12-745 except long ciliate calyx
1938	R. sphaeroblastum var. wumengense	ARS-09-551	J.Nielsen, SW China exp., S. Sichuan, 3900m
1712	R. spilotum	RHS-01-227, RHS07 seed	Clark, Muncaster, selfed
2300	R. stamineum	ARS-13-663	J.Nielsen, JN12395, 800m, S.W.Jiangxi, Jinggangshan County
2302	R. stamineum	RHS-12-387,RHS13 seed	J.Nielsen, JN12395, Southwest Jiangxi Jinggangshan County, 800m
1252	R. stamineum PW-97	PW-97 as R. sp. Triflora	Guizhou expedition 1994, 1650m, RSF 98 cat calls this stamineum
2126	R. stewartianum	RHS-10-113, RHS11 seed	KR10027, Arunachal Pradesh, Anjaw district, AA5 3950m
677	R. strigillosum	Whitney Gardens	
2219	R. strigillosum	RSF-12-4034	RSF 1976/08 x 1984/047
2374	R. strigillosum	RSF-13-4035	1984/047 x 1977/627
2443	R. succothii?	RHS-12-054,RHS13 seed	KR10492, Arunachal Pradesh, West Siang, Mechuka
2262	R. sulfureum	ARS-12-750	J.Nielsen, JN11062 W Yunnan 2800m
1917	R. sutchuenense	RSF-09-3417	RSF 1979/205 x 1969/816
2229	R. sutchuenense	RHS-11-171, RHS12 seed	Neilsen, JN11023 NE Chongqing 2300m, First recoll from this area in many years
1532	R. sutchuenense var. geraldii	ARS-05-504	P. Houbak, Denmark, selfed, cp
2353	R. taliense	ARS-13-664	J.Nielsen, JN12166, 4000m, Midwest Yunnan, Jianchuan/Lanping County
1102	R. tapetiforme	ARS-00-275	J.Nielson, Glendoick, Scotland, JN861, 4200m
2088	R. tapetiforme	ARS-09-139	B.Ranheim/R.A.Nielsen exp.R&N050, Beima Xue Shan, NW Yunnan, 4478m
2050	R. tatsienense	ARS-10-702	J&R Nielsen, Den.S Sichuan 3000m NN0941
2344	R. telmateium	ARS-13-666	J.Nielsen, JN12245, 3200m, N.W.Yunnan, Ninglang County
2379	R. tephropeplum	ARS-13-668	J.Nielsen, JN12146, 3300m, W.Yunnan, Weixi County, Mekong-Salween divide
2483	R. tephropeplum	RSF-14-4465	2008/093 x 2008/056
2076	R. thomsonii	RSF-10-3657	RSF 1994/106 x 1967/716
2378	R. thymifolium	ARS-13-669	J.Nielsen, JN12095, 3650m, W.Sichuan, Yajiang County
2091	R. tomentosum	ARS-10-148	B. Ranheim, Norway, cw, SW of Svartpytt, Kilen, Kviteseid, Norway, most western plt
2264	R. tomentosum	ARS-12-195	B Ranheim, cw BR 001, Kilen in Kviteseid, Telemark, Norway, narrow leaves
1324	R. tomentosum var. angustum	ARS-04-091	O. J. Larsen, Norway
560	R. trichanthum 'Tower Court'	Cutting, fall 89, from TRIUMF	Orig. label villosum, which is older name
799	R. trichanthum 'Tower Court'	Cutting, 1991, from TRIUMF	Once known as R. villosum
1103	R. trichostomum	ARS-00-281	J.Nielson, Glendoick, Scotland, JN944, 3100m
2256	R. triflorum var. multiflorum	ARS-12-754	J.Nielsen, JN11085 W Central Yunnan 2900m, New, 5-6fls, rough non-peeling bark
2267	R. tsaii	ARS-12-755	J.Nielsen, JN11034 NE Yunnan 3000m, New to cult, true sp, not hippophaeoides aff.
754	R. tsangpoense	VRS April sale - Dorsey	distinctive curved styles
2023	R. tschonoskyi	ARS-10-427	T. Ishizaki, Japan, cw Gunma
1799	R. uvariifolium	ARS-08-450	R. Zimmerman, USA, cw seed x sibling
2035	R. vaseyi	ARS-10-585	John Brown, US, cw High Hampton, NC 3000ft
2052	R. vaseyi	ARS-10-733	D. Hyatt, US, cw Transylvania Co. NC, diverse population, blush to strong pink
192	R. wardii		
2512	R. wardii	RSF-13-4291	1967/721 x 2003/387
2284	R. wardii (var. puralbum ?)	ARS-13-677	J.Nielsen, JN12272, 4000m, S.W.Sichuan, Jiulong County
2058	R. wasonii aff.	RSF-10-3652	RSF 1976/269 x Ex WEB
2283	R. watsonii	ARS-13-679	J.Nielsen, JN12027, 3400m, Cent.Sichuan, Wenchuan County
2500	R. wightii	ARS-14-866	T. Atkinson, UK, TDA314, cw Yumthang, 3500-4000m North Sikkim

Fearing's Farm Nursery: Varieties available as of April 30, 2016
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
1781	R. wiltonii	RSF-08-3269	RSF 1975/017 x 1975/088
2329	R. wiltonii	ARS-13-681	J.Nielsen, JN12078, 3000m, W.Sichuan, Luding County,extra thick indumentum
2484	R. wiltonii	ARS-13-682	J.Nielsen, JN12326, 2500m, Cent.Sichuan, Emeishan County, normal indumentum
108	R. xanthocodon FCC		FCC form
2263	R. xanthostephanum	ARS-12-756	J.Neilsen, JN11069 W Yunnan 2900m
2309	R. xichangense	ARS-13-684	J.Nielsen, JN12265, 3600m, S.W.Sichuan, Jiulong County, new to cult.
2335	R. xichangense	RHS-12-329,RHS13 seed	J.Nielsen, JN12275, South Sichuan, Mianning County, 2800m, new to cult.
2491	R. yedoense var. poukhanense	ARS-14-397	K. Theqvist, cw Jirisan Mountains, Guryong valley, 300 m, South Korea
2482	R. yuefengense	RSF-14-4487	2008/387 x 2008/453
2493	R. yuefengense	RSF-14-4488	2008/453 x 2008/387
773	R. yungningense	VRS May 92 sale - Clay	Labeled campylogynum - Hick's Pink
1960	R. yunnanense	ARS-09-141	B.Ranheim/R.A.Nielsen exp.R&N158, Beima Xue Shan,NW Yunnan,3509m
562	R. yunnanense var. suberosum	Cutting,fall 89,from TRIUMF	
1772	R. zekoense	ARS-04-615	J. Nielsen, cw, S. Qinghai, 4100m, probably first introduction
1308	Razorbill	Dorsey, VRS mtg, 11/05	
315	Royal Purple		
376	Seattle Springtime	Elk Lake Nursery	
759	September Song	Whitney	
592	Silver Skies	Cedar Hill Nursery	
411	St. Merryn	Elk Lake Nursery	
733	Teddy Bear	Elk Lake Nursery	Grown by Briggs Nursery, ARS Journal 46 p 42
595	Vibrant Violet	Elk Lake Nursery	
1263	Yunncinn	Elk Lake Nursery 9/01	
1809	brachycarpum ssp. tigerstedtii x rothschildii	ARS-08-380	K.Theqvist,Finland, ssp. tigerstedtii x rothschildii RSF 1975/182, cp
1941	brachycarpum ssp. tigerstedtii x thomsonii	ARS-09-302	K. Theqvist, Finland, thomsonii is RSF 1967/716, cp
757	yakushimanum x tsariense (Berg)	Whitney	